

ANNALS OF THE QUEENSLAND MUSEUM: BIBLIOGRAPHY AND INDEX OF NEW TAXA.

G.J. INGRAM
Queensland Museum

INTRODUCTION

The *Annals of the Queensland Museum* were published by the Queensland Museum during the years 1891 to 1911. Copies are rare in book collections and it is little known today. To taxonomists, however, this organ is still of great moment. Hundreds of new species of Australian Fauna — particularly vertebrates, insects, and fossils — were described within its pages.

The publication of the *Annals* was not without travail. On 19 November, 1889, the Under Secretary of the Department of Public Instruction gave approval for the first part of the *Annals* to be printed by the Government Printer. Seventeen days later, on 6 December, the approval was withdrawn. This change of mind was affected by direct intervention of the Colonial Secretary. He had been lobbied by the Master Printers Association. The Association was concerned that work for its members was being lost by unfair use of the Government Printer. They argued that the *Annals* was a non-government publication. They succeeded in convincing the Colonial Secretary and a fiat was issued declaring that 'in future all work of a non- or semi-official character should be placed in the hands of private firms' Needless to say, the Board of Trustees could not afford to go ahead with the printing, and it was delayed for two years.

Difficulty was experienced in obtaining any information about the early days of the *Annals*. The journal was rarely mentioned in the archives of the Museum except for acknowledgments of its receipt from learned societies and other institutions. The publication of the first issue of the *Annals* in 1891 was a significant event in the history of natural science in Queensland. Very few learned journals were printed in the Colony at that time. Most natural history papers were submitted to the Royal Society of Queensland for publication in its *Proceedings* or to the weekly newspaper, the *Queenslander*. Newspapers did not have scientific respectability, and the *Proceedings* could not accommodate all the

papers written. The *Annals* gave the promise of valuable and respectable printed space.

The journal did not live up to this promise because of the vicissitudes of the depression of that decade and the early part of this century. Whether an issue was printed depended on whether the Department of Public Instruction, on submission, voted the monies to meet the cost. Often there was no money. Few authors could chance a long delay. These circumstances placed the Curator (later the Director), C.W. de Vis, in the best position to exploit the *Annals* as a publication outlet. Of the forty papers which appeared, twenty-five were his.

The *Annals* were superseded by the *Memoirs of the Queensland Museum* in 1912. This change of title ended the embarrassment of not publishing an annals annually. During the twenty-one years of its existence, it appeared only ten times.

The dates of publication of the ten issues were:-

- No. 1. Jul, 1891 (before 22nd)
- No. 2. May, 1892 (before 6th)
- No. 3. Jul, 1897 (before 19th)
- No. 4. Jan, 1898 (before 31st)
- No. 5. Jan, 1901 (before 26th)
- No. 6. Sep, 1905 (before 30th)
- No. 7. 7 Jun, 1907
- No. 8. 23 Mar, 1908
- No. 9. 14 Oct, 1908
- No. 10. 1 Nov, 1911

The dates for Numbers 7 to 10 were printed on the frontispiece of each issue. Number 6 had 'Sept., 1905' hand-written on all the issues I saw. This date was confirmed in the minutes of the Board of Trustees of 30th September, 1905. Numbers 1 to 5 have only the year of publication printed on the frontispiece. The more precise dates for these issues were elucidated from archival material. The dates for Numbers 2 and 5 were taken from the minutes of the Board of 6 May, 1892 and 26 January, 1901 respectively. The dates for Numbers 1, 3, and 4 were assumed from the earliest acknowledgement of receipt from outside organizations. These should be accurate

because most organizations quickly acknowledged donations.

The dates given here for Numbers 4 and 5 are different years to those printed on their frontispieces (1897 and 1900 respectively). For the purposes of priority for taxonomic nomenclature, however, the differences are of little import. Where only the year of publication is known, the 'International Code of Zoological Nomenclature' stipulates the last day of that year as the publication date.

The bibliography is an alphabetical list by author of all papers which appeared in the *Annals*. The index is divided into two categories, 'Fossil Taxa' and 'Recent Taxa'. Within these categories all new genera, species and subspecies are listed under major group headings. No new families were designated.

I made no decisions about the validity of names. Names are listed even if they were *nominas sp.*. The new names in the two papers of Volume 2 are included although they were predicated by the nearly identical papers in the *Annual Report on British New Guinea 1890-1891*.

The authors of the names can be accessed simply if needed. De Vis authored all the fossils and recent birds, mammals and reptiles. He also described one fish (*Enoplosus serotinus*) and one spider (*Nephila maculata piscatorum*). Lamb authored all the amphibia and spider names except for the one spider by de Vis. Ogilby authored all the fish except for the one species by de Vis. The Coleoptera were all described by Carter, the Hemiptera by Tryon, and the one ectode by Johnston. The Lepidoptera were authored by Turner except for those from Volume 1 which were by Miskin.

BIBLIOGRAPHY

B

BANCROFT, T.L., 1908. List of the mosquitoes of Queensland with the original descriptions and notes on the life-history of a number. 8: 1-64.

C

CARTER, H.J., 1911. Revision of the nyctozoilides — genera and species (Fam. Tenebrionidae). 10: 137-66.

D

DE VIS, C.W., 1892. Zoology of British New Guinea. Part I.—Vertebrata. 2: 3-12.
1897. The extinct fresh-water turtles of Queensland. 3: 3-7, pls. 1-8.
1901. A Papuan kite. 5: 3-5, pls. 1-2.

- 1901. A further trace of an extinct lizard. 5: 6, pl. 3.
- 1901. Bones and diet of *Thylacoleo*. 5: 7-11, pls. 4-7.
- 1901. Description of a *Charmosinopsis*. 5: 12-13, pl. 8.
- 1901. A new species of hairy-nosed wombat. 5: 14-16, pls. 9-10.
- 1905. A contribution to the knowledge of the extinct avifauna of Australia. 6: 3-25, pls. 1-9.
- 1905. Fossil vertebrates from New Guinea. 6: 26-31, pls. 10-13.
- 1905. Papuan charms. 6: 32-5, pl. 14.
- 1905. Bats. 6: 36-40.
- 1905. Ornithological. 6: 41-5.
- 1905. Reptilia. 6: 46-52, pl. 15.
- 1907. Fossils from the gulf watershed. 7: 3-7.
- 1907. An eccentric rat. 7: 8-9.
- 1907. A New Guinea tree rat. 7: 10-11.
- 1907. A Papuan relic. 7: 12-13, pl. 1.
- 1911. On some Mesozoic fossils. 10: 1-11, pl. 2, fig. 1-2, pl. 3, fig. 1, pl. 4.
- 1911. Annelid trails. 10: 12-14, pl. 3, fig. 2.
- 1911. *Palaeolesites gorei*, n.s. an extinct bird. 10: 15-17, pl. 2, figs. 4-6.
- 1911. Cestraciontidae. 10: 18, pl. 2, fig. 3.
- 1911. A wild dog from British New Guinea. 10: 19-20, pl. 1.
- 1911. Description of snakes apparently new. 10: 21-25.
- 1911. A second species of *Enoplosus* ('old wife' fish). 10: 29.
- 1911. A fisherman's spider. 10: 167-8.

H

HAMLYN-HARRIS, R., 1911. The Skerichly loan Collection. (Anthropological). 10: 183-5.

J

JOHNSTON, T.H., 1911. *Proteocephalus gallardi*. A new cestode from the black snake. 10: 175-82, pl. 7.

L

LAMB, J., 1911. Description of three new batrachians from southern Queensland. 10: 26-8.
1911. Descriptions of some new Queensland Araneidae. 10: 169-74.

M

MISKIN, W.H., 1891. Synonymical catalogue of the Lepidoptera Rhopalocera (butterflies) of Australia, with full bibliographical reference; including descriptions of some new species. 1: XX, 1-92. Addenda, IX.

O

- OGILBY, J.D., 1908. New or little known fishes in the Queensland Museum. **9**: 3-41.
 1908. Revision of the Batrachoididae of Queensland. **9**: 43-57.
 1911. On the genus "*Gonorrynchus*" (*Gronovius*). **10**: 30-35.
 1911. Descriptions of new or insufficiently described fishes from Queensland waters. **10**: 36-58, pl. 5-6.
 1911. *Cheilio inermis* (Forskal). **10**: 182.

T

- TRYON, H., 1892. Zoology of British New Guinea. Part II.—Hemiptera. **2**: 13-24.
 TURNER, A.J., 1898. The Xyloryctidae of Queensland. **4**: 1-32, Index.
 1911. Studies in Australian Lepidoptera. **10**: 59-135.

INDEX

FOSSIL TAXA

AVES

- Archaeocyncus* **6** : 11
Asturaetus **6** : 6
conditus, *Ibis* **6** : 10
effodiata, *Nyroca* **6** : 15
eyrensis, *Nettapus* **6** : 16
furcillatus, *Asturaetus* **6** : 6
gorei, *Palaeoleistes* **10** : 15
gracilipes, *Anas* **6** : 14
gracilis, *Baza* **6** : 7
grandiceps, *Pelecanus* **6** : 16
gregorii, *Phalacrocorax* **6** : 18
lacertosus, *Taphaetus* **6** : 4
lacustris, *Archaeocyncus* **6** : 11
laticeps, *Plotus* **6** : 17
minor, *Xenorhynchopsis* **6** : 10
nanus, *Chenopis* **6** : 13
Ocyplanus **6** : 8
proeses, *Ocyplanus* **6** : 8
proevisa, *Leucosarcia* **6** : 8
strenua, *Anas (Nettium)* **6** : 15
tibialis, *Xenorhynchopsis* **6** : 10
vetustus, *Phalacrocorax* **6** : 22
Xenorhynchopsis **6** : 9

MAMMALIA

- brevirostris*, *Halicore* **6** : 30
Simoprosopus **7** : 4

PISCES

- incussidens*, *Hybodus* **10** : 18

PLANTAE

- mucronatum*, *Pterophyllum* **10** : 2

REPTILIA

- ampla*, *Pelocomastes* **3** : 6
antiqua, *Chelemyx* **3** : 4

- arata*, *Chelemyx* **3** : 5
insculpta, *Cheledina* **3** : 5
murua, *Chelone* **6** : 30
papuensis, *Gavialis* **6** : 31
Pelocomastes **3** : 6
uberrima, *Chelemyx* **3** : 3

TRACE FOSSIL

- berneyi*, *Nereites* **10** : 12

RECENT TAXA

- AMPHIBIA
marmoratus, *Limnodynastes* **10** : 28
sudelli, *Heleioporus* **10** : 26
vinosa, *Hyla* **10** : 27

ARANEAE

- bituberculata*, *Dolophones* **10** : 172
octospinata, *Macedonia* **10** : 169
piscatorum, *Nephila maculata* **10** : 167
quadrispina, *Gasteracantha* **10** : 171
trux, *Dolomedes* **10** : 173

AVES

- Amalocichla* **2** : 5
bella, *Charmosynopsis* **5** : pl. 8
insperata, *Gerygone* **2** : 4
katherina, *Ancathiza* **6** : 43
maculata, *Melipotes* **2** : 5
mestoni, *Pachycephala* **6** : 44
modesta, *Acanthiza* **6** : 43
inontium, *Paramythia* **2** : 6
moretoni, *Malurus* **2** : 9
Paramythia **2** : 6
sclateriana, *Amalocichla* **2** : 5
sudestensis, *Eopsaltria* **2** : 8
tyrannula, *Sericornis* **6** : 42
vicaria, *Paecilodryas* **2** : 4

CESTODA

gallardi, *Proteocephalus* 10 : 175

COLEOPTERA

acuticollis, *Onosterrhus* 10 : 148
bos, *Onosterrhus* 10 : 151
carbonarius, *Nyctozoilus* 10 : 157
deanei, *Onosterrhus* 10 : 155
duboulai, *Onosterrhus* 10 : 153
gebieni, *Aglypta* 10 : 163
goudiei, *Onosterrhus* 10 : 149
hardcastlei, *Nyctozoilus* 10 : 158.
lateralis, *Onotrichus* 10 : 165
Onotrichus 10 : 164
parvus, *Onosterrhus* 10 : 147
ruficornis, *Nyctozoilus* 10 : 162
socius, *Onosterrhus* 10 : 156
squamosus, *Onosterrhus* 10 : 150
vermiculatus, *Nyctozoilus* 10 : 160

HEMIPTERA

glaucolimbata, *Asopus* 2 : 15
maculifer, *Lyramorpha* 2 : 19
maculifer, *Pentatoma* 2 : 17
megaspiloides, *Eysarcoris* 2 : 17
novaeguineensis, *Sastrapada* 2 : 23
prasina, *Arma* 2 : 15
prasina, *Pentatoma* 2 : 17
pulcher, *Ceratulus* 2 : 15
pusilla, *Brachyplatys* 2 : 13
simplex, *Brachyplatys* 2 : 13
submarginalis, *Pentatoma* 2 : 16
variabilis, *Spudaeus* 2 : 18

LEPIDOPTERA

Acachmena 10 : 75
acedesta, *Crexia* 10 : 94
Acicys 10 : 126
aconipsa, *Proconietis* 4 : 30
acrocampa, *Microtalis* 10 : 116
acroleuca, *Cryptophaga* 4 : 8
actinopis, *Chionobosca* 10 : 114
aenictodes, *Hypolamprus* 10 : 102
agasta, *Hypolophota* 10 : 109
aglaopsis, *Chilo* 10 : 112
Aglaopus 10 : 98
alba, *Cryptophaga nubila* 4 : 11
albosericea, *Holochila* 1 : 65
alypteta, *Heteromicta* 10 : 109
Amphitorna 10 : 95
Analcina 10 : 125
apheles, *Neodrepta* 4 : 24
Apoblepta 10 : 125
apollo, *Hypochnrysops* 1 : 85

aresca, *Chloridea* 10 : 60

Arescoptera 10 : 124

argyropasta, *Diadexia* 10 : 115

Arignota 4 : 21

asbolodes, *Euplexia* 10 : 66

Aspiduchia 10 : 94

Axiocleta 10 : 133

Balauiucha 10 : 76

borealis, *Uzucha* 4 : 28

callisema, *Lichenaula* 4 : 19

celaenica, *Ariathisa* 10 : 68

Chionobosca 10 : 114

chionodes, *Cryptophaga* 4 : 9

chytriodes, *Herculia* 10 : 128

cladaropa, *Acicys* 10 : 127

codonoptera, *Phloeophorba* 4 : 23

coelestis, *Danis* 1 : 50

coelocrossa, *Curicia* 10 : 119

crocota, *Digglesia* 10 : 86

crossosticha, *Rhodoneura* 10 : 106

crypsilitha, *Rhodoneura* 10 : 105

crypsimetta, *Nephalia* 10 : 114

Cyclophragua 10 : 94

daphoena, *Trophoessa* 10 : 99

dentosa, *Chabuata* 10 : 62

dianipha, *Crexia* 10 : 92

Digglesia 10 : 86

discobola, *Agriophara* 4 : 32

dissimilis, *Lichenaula* 4 : 18

doddi, *Eupterote* 10 : 132

Dysaethria 10 : 80

ebenodes, *Ariathisa* 10 : 67

epicharis, *Apoblepta* 10 : 125

epicharita, *Cruria* 10 : 59

epimetalla, *Microtalis* 10 : 116

euarmosta, *Euplexia* 10 : 65

eucrines, *Lichenaula* 4 : 20

eumorpha, *Cryptophaga* 4 : 9

euthysticha, *Acachmena* 10 : 75

ferruginosa, *Canthylidia* 10 : 61

fumata, *Lichenaula* 4 : 17

goniodes, *Lichenaula* 4 : 17

Gonioma 4 : 27

Gyoprora 10 : 64

haplochroa, *Lichenaula* 4 : 18

haplorus, *Crambus* 10 : 110

hemicneca, *Tanyethira* 10 : 123

hetaerica, *Ubida* 10 : 112

Hylynnes 4 : 15

idiotypha, *Arescoptera* 10 : 124

ignota, *Lichenaula* 4 : 21

Illicgea 4 : 26

inscripta, *Lichenaula* 4 : 21

iochyta, *Scenidiopsis* 10 : 122

lactea, *Phloeophorba* 4 : 23

lechriodes, Rhathymodes 10 : 89
leucanthes, Agriophara 4 : 31
leucophasma, Alucita 10 : 129
leucosema, Epiplema 10 : 82
leucosticha, Callyna 10 : 69
macroptila, Crexa 10 : 92
metaleucae, Xylorycta 4 : 14
melanchroa, Endotricha 10 : 121
melanoleuca, Lichenaula 4 : 19
melanosema, Lichenaula 4 : 20
melanthes, Procometus 4 : 29
methychora, Xyleutes 10 : 131
micradelpha, Lichenaula 4 : 20
Microtalis 10 : 116
microthyris, Balantiucha 10 : 76
mitocera, Oncoptera 10 : 132
molybdina, Xylorycta 4 : 13
Mylocera 4 : 27
Neodrepta 4 : 24
neomorpha, Xylorycta 4 : 13
Nephalia 10 : 113
nephrosema, Cryptophaga 4 : 7
nigricincta, Cryptophaga 4 : 9
niphocosma, Aglaopus 10 : 98
ochrias, Gyroprrora 10 : 64
ochropepla, Ariathisa 10 : 68
onychodes, Lichenaula 4 : 19
ophiosema, Ariathisa 10 : 66
palaeomorpha, Phylomictus 4 : 30
pallida, Xylorycta flavicosta 4 : 13
Paralecta 4 : 25
pasteopa, Dysaethria 10 : 80
pentamita, Donacula 10 : 119
penthica, Analcina 10 : 126
perisema, Axioleta 10 : 134
phaeochorda, Platyses 10 : 111
phaeocosma, Xyleutes 10 : 130
phloeochroa, Lichenaula 4 : 18
phloeodes, Procometus 4 : 29
phloeomima, Hypolophota 10 : 108
Phloeophorba 4 : 23
plagiosema, Agriopharea 4 : 32
pogonias, Diptychophora 10 : 113
Pogonoptera 10 : 118
poliochyta, Trichophysetis 10 : 128
polioleuca, Pogonoptera 10 : 118
poliopepla, Agriophara 4 : 31
polyploca, Xyleutes 10 : 130
porphyrodes, Cirphis 10 : 63
pyrgodes, Plectophila 4 : 24
pyrrhocosma, Endotricha 10 : 121
rhapsiducha, Rhodoneura 10 : 106
Rhathymodes 10 : 89
rhodopolia, Canthylidia 10 : 61
rhodopsara, Cirphis 10 : 62
Rhombophylla 10 : 79

schematica, Epiplema 10 : 83
sciodes, Hypolamprus 10 : 102
senta, Hesperilla 1 : 85
serapis, Danis 1 : 49
stenoptila, Xyleutes 10 : 131
symphonodes, Addaea 10 : 107
Tanyethira 10 : 122
tapeina, Xylorycta 4 : 13
tenebrifera, Mylocera 4 : 27
tenella, Lycena 1 : 63
thiocosma, Epiplema 10 : 82
trissomochla, Talis 10 : 117
Trophoessa 10 : 99
wildei, Arhopala 1 : 71
xanthopsis, Gonioma 4 : 28
xanthosticha, Cirphis 10 : 64

MAMMALIA

aroensis, Dendrosminthus 7 : 11
banfieldi, Uromys 7 : 8
Dendrosminthus 7 : 11
fumosus, Taphozous 6 : 37
gillespiei, Phascolomys 5 : 16
nudicliniatus, Taplozous 6 : 39
pannietensis, Cephalotes 6 : 36

PISCES

alcocki, Mugil 9 : 5
angustifrons, Holocentrus 9 : 32
Anyperistenus 9 : 11
Apistops 10 : 54
arenarius, Carcharias 10 : 37
Batrachoinoeus 9 : 46
berthae, Amia 10 : 47
broadbenti, Batrachomoeus 9 : 49
broadbenti, Tachysurus 9 : 8
Coryzichthys 9 : 50
dahli, Hippocampus 9 : 17
försteri, Gonorynchus 10 : 34
Halobatrachus 9 : 46
hamlynii, Myliobatis 10 : 40
Jenynsella 9 : 15
lenis, Hippocampus 9 : 18
limiceps, Callionymus 9 : 35
longipinnis, Dampieria 9 : 34
macdonaldi, Callionymus 10 : 56
mediobarbis, Neosilurus 9 : 12
minor, Batrachomoeus 9 : 47
Nemapteryx 9 : 10
nigripes, Amia 10 : 49
nortoni, Mugil 9 : 22
Paratrigla 10 : 56
parvimanus, Gonorynchus 10 : 34
perugiae, Anyperistius 9 : 5
robustus, Neosilurus 9 : 13

serotinus, *Enoplosus* 10 : 29
spinicaudatus, *Corythoichthys* 9 : 16
spiniceps, *Ostichthys* 9 : 31
Squalomugil 9 : 28
stevensi, *Carcharias* 10 : 38
stevensi, *Mugil* 9 : 19
tadopsis, *Mugil* 9 : 27
waitii, *Sphyraena* 9 : 29
weatherilli, *Jenynsella* 9 : 15
weberi, *Choerodon* 10 : 52
wildii, *Pseudochromis* 9 : 34

REPTILIA

angulata, *Denisonia* 6 : 51
bancrofti, *Denisonia* 10 : 23
bancrofti, *Pseudelaps* 10 : 25
caeruleoauda, *Mocoa* 2 : 12
Calyptoprymnus 6 : 46

crucifer, *Micropechis* 6 : 52
dunensis, *Trophidechis* 10 : 21
fenestrata, *Denisonia* 6 : 50
frontalis, *Platurus* 6 : 48
guttata, *Pseudechis* 6 : 49
latizonatus, *Rhynchelaps* 6 : 49
lineata, *Vanapina* 6 : 49
louisiadensis, *Gymnodactylus* 2 : 11
mortonensis, *Pseudechis* 10 : 24
nasalis, *Distira* 6 : 48
nigra, *Denisonia* 6 : 50
propinqua, *Denisonia frontalis* 6 : 51
revelata, *Denisonia* 10 : 22
robusta, *Furina* 6 : 51
rostralis, *Denisonia* 10 : 23
Vanapina 6 : 48
verecundus, *Calyptoprymnus* 6 : 46
wilesnithii, *Pseudechis* 10 : 24